

QUESTIONS & ANSWERS

Kill your exam at first Attempt



IBM

000-293

WebSphere InterChange Server V4 and Toolset Deployment

Answer: B

QUESTION: 114

Which of the following statements about Web Services capability of WebSphere Business Integration is true?

- A. The Web Services adapter uses SOAP protocol to communicate with WebSphere InterChange Server.
- B. The Web Services adapter supports both synchronous and asynchronous modes.
- C. The Web Services adapter can automatically connect to a UDDI (Universal Description, Discovery and Integration) Registry.
- D. To receive SOAP messages from the Internet without a gateway, IBM recommends the Web Services adapter to be deployed in the DMZ.

Answer: B

QUESTION: 115

In order to prevent a duplication of data when failures occur for a non-transactional collaboration, which of the following should be done when building the collaboration template and collaboration object?

- A. Configure compensation to roll back the transaction if a failure occurs during processing
- B. Define a minimum transaction level, in the collaboration template, to determine when to perform transaction rollback
- C. Define a minimum transaction level of "Best Effort" and configure compensation.
- D. Check the box labeled "Persist Service Call in Transit State" in the collaboration object's properties dialog. There is no need to define compensation in the collaboration template.

Answer: D

QUESTION: 116

A very large object is being processed by an Adapter. While processing the object the Adapter goes down and the adapter appears to hang. After checking the adapter's logs it is discovered that an OutOfMemoryException occurred. The event can easily be resubmitted. What is the best way to correct the problem before resubmitting the event?

- A. Run the adapter as a service to minimize memory consumption, And set the logging and trace levels to 0, with location to a file so that excessive log and trace messages don't use excessive memory.
- B. Increase the memory available to the adapter by increasing the value of the CW_MEMORY_MAX parameter in the ADAPTER_MEMORY section of the

adapter's configuration file.

C. Configure the adapter to use Business Object Compression by setting the -compression flag to true in the adapter's .bat or .sh file.

D. Increase the memory available to the JVM which the adapter is running in by increasing the value of the -Xmx argument the adapter's .bat or .sh file.

Answer: D

QUESTION: 117

How can a collaboration developer ensure event sequencing?

A. The Server will take care of it by default.

B. Set the collaboration property Event_Sequencing = true.

C. Ensure that the ObjectEventID of each business object is unique.

D. Add an additional verb 'SYNC' to the BO and the server will take care of it.

Answer: A

QUESTION: 118

Which of the following statements is TRUE about long-lived business processes?

A. The source adapter can only use JMS transport.

B. The CwDBConnection objects are declared as global in order to reuse the connections.

C. Long-lived business process collaborations cannot be bound to external access Clients.

D. Local template or port variables should be used for any data that must persist through the business process.

Answer: C

QUESTION: 119

Which of the following BEST describes explicit transaction bracketing?

A. A collaboration property to maintain ObjectEventId uniqueness during event flow.

B. The beginning and end of each transaction in a database call is determined programmatically.

C. A transaction begins as soon as the connection is acquired and ends when the connection is released.

D. Automatic handling of transactions in a database call.

Answer: B

QUESTION: 120

Under which of the following conditions does a collaboration object need NOT be re-created in order for it to function properly?

- A. After modifying Java code in a diagram or scenario definition.
- B. After adding or removing a property.
- C. After adding a new scenario.
- D. After modifying the triggering events.

Answer: A

QUESTION: 121

A collaboration sends purchase order data to application X through a synchronous service call (S1). Before the PO data goes to application X, it must go to application Y through an asynchronous outbound service call (S2) to verify the customer's credit rating. The credit rating verification process can be instantaneous or take up to 48 hours, but should never take more than 48 hours. Which of the following solutions are appropriate to define how the service calls should be reconfigured?

- A. The service call (S2) should be changed to a synchronous service call with a timeout value set to 48 hours.
- B. Configure an asynchronous inbound service call in the collaboration after service call (S2) with a timeout value set to 48 hours and set the correlation set attributes.
- C. The service call (S2) should be changed to a synchronous service call. Configure a Web-based System Monitor with a timeout value set to 48 hours.
- D. The service call (S2) should be changed to a synchronous service call. A separate collaboration should be created to receive the response from application Y when the vendor is approved. Configure a Web-based System Monitor with a timeout value set to 48 hours.
- E. Configure an asynchronous inbound service call in the collaboration after service call (S2) with a timeout value set to 48 hours and set the template property CORRELATION to "Keys".

Answer: A, B

QUESTION: 122

The MOST likely cause for an AppUnknown subtype exception is:

- A. The adapter controller was unable to communicate with its WebSphere InterChange Server.
- B. The adapter agent was unable to communicate with its application.
- C. Any type of error that is not classified under one of the other subtypes.

D. An adapter was disconnected from its target application while processing an event.

Answer: C



KILLEXAMS.COM

For More exams visit <http://killexams.com> -



KILLEXAMS.COM

Kill your exam at First Attempt....Guaranteed!