QUESTIONS & ANSWERS

Kill your exam at first Attempt





SCO

090-601

SCO OpenServer Release 6 Network Administration

QUESTION: 66

Which statement regarding the ARP protocol is true?

- A. The ARP protocol uses the /etc/hosts file to resolve addresses.
- B. The ARP protocol provides the IP address of the host that owns a given hardware address.
- C. The ARP protocol uses a cache to keep track of addresses it has already discovered.
- D. The ARP protocol uses the /etc/ethers file to resolve addresses.

Answer: C

QUESTION: 67

Which statement regarding subnets is FALSE?

- A. A Class B network is rarely subnetted because it can support over 65,000 hosts.
- B. A Class B network with subnets has fewer IP addresses available for hosts than a Class B network without subnets.
- C. For optimal network performance, a server should be located on the same subnet as most of its clients.
- D. A message sent from a host on one subnet to a host on another subnet must pass through a router.

Answer: A

QUESTION: 68

Your company has a Class C network address. Because of geographical considerations, you want to set up seven (7) subnets. What is the minimum number of subnet bits that will allow you to have these seven (7) subnets?

- A. 2
- B. 3
- C. 4
- D. 5

Answer: C

QUESTION: 69

Which of the following types of ISDN devices can be configured for use by a OpenServer 6 system?

- A. An ISDN router connected to the local area network
- B. An ISDN adapter connected by a serial cable
- C. An ISDN adapter installed on an expansion card
- D. All of the above devices are supported by OpenServer 6

Answer: D

QUESTION: 70

If a dynamic incoming PPP connection does IP dynamic addressing, which file can be configured with a list of available addresses?

- A. /etc/hosts.pool
- B. /usr/lib/mstppp/ppppool
- C. /etc/ppp
- D. /usr/lib/mstppp/IPPool

Answer: B

QUESTION: 71

Which file does the inetd daemon read to determine which services to provide?

- A. /etc/inetd.conf
- B. /etc/rc.inet
- C. /etc/hosts
- D. /etc/tcp

Answer: A

QUESTION: 72

Which file allows system administrators to set up host-based trusted access?

- A. /.rhosts
- B. \$HOME/.rhosts
- C. /etc/ftpaccess
- D. /etc/hosts.equiv

Answer: D

QUESTION: 73

What are two protocols at the transport level of the TCP/IP stack?

- A. TCP and UDP
- B. ICMP and ARP
- C. ARP and RARP
- D. NFS and RPC

Answer: A

KILL EXAMS

KILLEXAMS.COM

For More exams visit http://killexams.com -



KILLEXAMS.COM

Kill your exam at First Attempt....Guaranteed!