QUESTIONS & ANSWERS

Kill your exam at first Attempt





Symantec

250-254

Symantec Cluster Server 6.1 for UNIX Technical Assessment

QUESTION: 286

Which three are valid service group types? (Select three.)

- A. Cascading
- B. Failover
- C. Parallel
- D. Series
- E. Hybrid

Answer: A, C, D

QUESTION: 287

Which resource type attribute is modified to reduce the fault detection time?

- A. ProbeInterval
- B. MonitorInterval
- C. OnlineTimeout
- D. ActionTimeout

Answer: A

QUESTION: 288

What is used to shut down Veritas Cluster Server (VCS) on all nodes for patch installation without affecting the availability of the applications being managed by VCS?

- A. hastop -all -failover
- B. hastop -all -force
- C. hasys -stop -all -failover
- D. hasys -stop -force

Answer: A

QUESTION: 289

Which command can be used to install upgraded license keys on an existing Veritas Cluster Server cluster?


- A. vxlic
- B. vxlicinst

C. vxlicinstall

D. vxlicinit

Answer: D

QUESTION: 290 Refer to the exhibit.



What is the cluster design?

A. N-to-1 configuration

B. N-to-N configuration

C. N + 1 configuration

D. Active/Active configuration

Answer: A

QUESTION: 291

When preparing to install Veritas Cluster Server (VCS) on systems S1 and S2, which three methods can be used to verify software compatibility? (Select three.)

A. check the VCS release notes for supported software

B. run the installvcs -precheck S1 S2 command

C. run the installvcs -check S1 S2 command

D. run the installvcs -compat S1 S2 command

E. check the Symantec Enterprise Support website

Answer: A, B, E

QUESTION: 292

Which two resource type attributes can be set to tune Veritas Cluster Server failover characteristics? (Select two.)

- A. AutoStart
- B. ConfInterval
- C. ConfTimeout
- D. MonitorInterval
- E. OfflineMonitorInterval

Answer: B, D

QUESTION: 293

A service group is brought offline. The IP address for the IP resource in the group is manually brought online. What is the state of the IP resource after the first offline monitor interval?

- A. online
- B. faulted
- C. offline
- D. unknown

Answer: A

QUESTION: 294

Which two actions must be taken to upgrade NetBackup in a service group under Veritas Cluster Server control? (Select two.)

- A. verify that the NetBackup agent supports the new version
- B. verify that the new NetBackup version is supported with haagent -verify
- C. freeze the NetBackup service group
- D. freeze the NetBackup resources
- E. stop the NetBackup agent on all systems

Answer: A, C


QUESTION: 295

What are two requirements for configuring I/O Fencing on supported storage arrays? (Select two.)

- A. Cluster File System Option enabled
- B. LUNs with the PGR bit enabled
- C. a minimum of two private heartbeat connections
- D. an odd number of LUNs in the data disk group
- E. Disk Group version 110 or higher

Answer: B, E

QUESTION: 296 Refer to the exhibit.



SystemC and SystemD are powered on. Subsequently, SystemA and SystemB are powered on. Where will GroupA start when the cluster comes online?

- A. SystemA
- B. SystemB
- C. SystemC
- D. SystemD

Answer: B

QUESTION: 297

A service group is configured to run on SystemA and SystemB. A critical resource faults when the service group is online on SystemA, however the service group fails to automatically switch to SystemB. When viewing the status of the service group, it is in an OFFLINE|FAULTED state.

Which default setting has been changed, preventing the service group from switching to SystemB?

- A. ManageFaults
- B. AutoFailOver
- C. FaultPropagation
- D. TFrozen

Answer: B

QUESTION: 298

Refer to the exhibit.

```
group ApacheG1 (
 SystemList = { System1 = 0, System2 = 1 }
 Apache httpd server (
        Critical = 0
        httpdDir = "/apache/bin"
        HostName = vcssol1
         Port = 8888
         User = root
         SecondLevelMonitor = 1
        ConfigFile = "/apache/conf/httpd.conf"
DiskGroup Apache dy (
        Critical = 0
        DiskGroup = apc1
 IP Apache ip (
         Critical = 0
        Device = bge0
         Address = "11.123.99.168"
         NetMask = "255.255.254.0"
 Mount Apache mnt (
        Critical = 0
        MountPoint = "/apache"
        BlockDevice = "/dev/vx/dsk/apc1/apcvol1"
         FSType = vxfs
         FsckOpt = "-y"
```

Which two statements are true? (Select two.)

- A. Any resource fault leads to a faulted state for the resource.
- B. Any resource fault leads to the service group failing over.
- C. Any resource fault will lead to the service group being taken offline.
- D. Any resource fault will leave the service group partially online.
- E. Any resource fault is detected and its agent's offline entry point is run.

Answer: A, D

For More exams visit http://killexams.com -



KILLEXAMS.COM

Kill your exam at First Attempt....Guaranteed!