

# QUESTIONS & ANSWERS

Kill your exam at first Attempt



**Hitachi**

## **HCE-5710**

*Hitachi Data Systems Certified Expert - Replication solutions implementation*



# DEMO

*Find some pages taken from full version*

*Killexams HCE-5710 questions and answers are collected from Hitachi certified professionals who recently took and pass their exam. Our HCE-5710 Exam PDF contain Organized dumps of questions and answers with references and explanations (where applicable).*

*Our target to assemble the guide is not only to pass the exam at first attempt, but really improving your knowledge about the exam topics you are dealing with.*

*Following pages are for demo purpose only. Demo pages are randomly taken from full version.*

*Full version can be different from the demo version.*

*You can request the updated Demo by contacting [support@killexams.com](mailto:support@killexams.com).*

*For Details about Full version Click <http://killexams.com/pass4sure/exam-detail/HCE-5710>*

**QUESTION: 107**

A ShadowImage CCI environment has been scripted so that the pairs resynchronize and suspend each hour using the latest version of CCI. ShadowImage has been configured to use consistency groups and At-Time Split. The ShadowImage CCI device group name is SI\_db01. Which CCI command should be included in the script following the pairresync command to allow time for the ShadowImage pairs to be fully resynchronized?

- A. pairvolchk -g SI\_db01 -c -ss -nomsg
- B. pairvolchk -g SI\_db01 -c -ss -t 3600
- C. pairevtwait -g SI\_db01 -s pair -nowait
- D. pairevtwait -g SI\_db01 -ss pair -t 3600

**Answer: D**

**QUESTION: 108**

An Hitachi Data Systems customer is planning to use HiCommand Device Manager (HDvM) to manage their TrueCopy pairs on a Universal Storage Platform. Which two are required before TrueCopy pairs can be created with HiCommand Device Manager? (Choose two.)

- A. The P-VOL must be defined as a Command Device.
- B. The HDvM host agent must be installed on the CCI server(s).
- C. The MCU-RCU path must be defined using the Storage Navigator.
- D. The HORCM configuration files must be created on the CCI server.

**Answer: B, C**

**QUESTION: 109**

Which three questions should be answered when a HORCM instance fails to start on a Solaris CCI host? (Choose three.)

- A. Is the Command Device labeled?
- B. Is the Command Device formatted?
- C. Is a SIM logged at the Storage Controller?
- D. Is the configuration file in the correct OS path?
- E. Is the Command Device path correct in the configuration file?

**Answer: A, D, E**

**QUESTION: 110**

A customer has concerns about the testing of a number of updates to his main application on

a 30TB database. There are 5 separate changes that need to be implemented. They are urgent and need to be implemented quickly during the following week. Which solution would you recommend?

- A. Copy the entire database at the beginning of the week using ShadowImage and apply each update on a day by day basis using TrueCopy Synchronous to copy the database.
- B. Copy the entire database at the beginning of the week using Copy-On-Write and apply each update on a day by day basis using TrueCopy Synchronous to copy the database.
- C. Copy the entire database at the beginning of the week using Copy-On-Write and apply each update on a day by day basis taking a ShadowImage snapshot each time before doing so.
- D. Copy the entire database at the beginning of the week using Copy-On-Write and apply each update on a day by day basis taking a Copy-On-Write snapshot each time before doing so.

**Answer:** D

**QUESTION:** 111

A customer uses ShadowImage At-Time Split to create a copy of an online Oracle database so that it can be mounted and started on another server for testing purposes. What will the database do on the recovery server when it starts to ensure that the transactions are restored to a point in time?

- A. Roll forward the redo logs.
- B. Perform a database dump.
- C. Transition into hot backup mode.
- D. Create copies of the archive logs.

**Answer:** A

**QUESTION:** 112

A customer asks you to review a plan for installing HiCommand Protection Manager (HPtM) software to protect Microsoft Exchange 2003. You are aware that Exchange 2003 is a very critical business application for this customer. Their plan is to use one large LUN for the public store and check point files and second large LUN for the mail box store and the transaction log. Which solution will provide the customer with maximum protection?

- A. The customer should use four different mounted LUNs: one for public stores, one for mailbox stores, one for checkpoint files, and one transaction log files.
- B. The customer should use three different mounted LUNs: one for public stores, one for mailbox stores and checkpoint files, and one for transaction log files.
- C. The customer should use three different mounted LUNs: one for public stores and mailbox

stores, one for checkpoint files, and one for transaction log files.

D. The customer should use four different mounted LUNs: two LUSE LUNs for public and mailbox stores, one for checkpoint files, and one for transaction log files

**Answer:** A

**QUESTION:** 113

A customer wants to replicate a database on a UNIX host with Universal Replicator but exclude the temporary and backup file systems to reduce the replication workload. What should be reviewed to ensure this is possible?

- A. SAN zone layout map
- B. file system usage report
- C. database relationship map
- D. volume/disk group volume layout

**Answer:** D

**QUESTION:** 114

A customer has purchased an Hitachi Storage Cluster (HSC) for Microsoft Environments. Which component is included?

- A. VBS scripts
- B. Microsoft Cluster
- C. Hitachi VSS Agent
- D. Hitachi client for Microsoft Exchange

**Answer:** A

For More exams visit <http://killexams.com>



[KILLEXAMS.COM](http://KILLEXAMS.COM)

*Kill your exam at First Attempt....Guaranteed!*