

QUESTIONS & ANSWERS

Kill your exam at first Attempt



Juniper

JN0-410

*Juniper Networks - SDN and Automation, Specialist
(JNCIS-SDNA)*

QUESTION: 57

You are creating a service template using the CU. Which three elements are required to accomplish this task? (Choose three.)

- A. project name
- B. service type
- C. policy name
- D. image name
- E. template name

Answer: B, D, E

QUESTION: 58

You are troubleshooting a Contrail environment and need to verify the version information on all participating nodes. Which two actions accomplish this task? (Choose two.)

- A. Issue the `contrail-version` command on each participating node.
- B. Issue the `fab all_version` command on each participating node from the `/opt/contrail/utils` directory.
- C. Issue the `contrail-version` command on the config node.
- D. Issue the `fab all_version` command on the config node from the `/opt/contrail/utils` directory.

Answer: A, D

QUESTION: 59

You have an OpenStack environment and a compute instance has crashed. You attempt to restart the AWM instance and you receive the message shown below.
Invalid: Instance has already been created Instance Not Found: Instance AWM could not be found. What does this message indicate?

- A. The instance is headless.
- B. Keystone has a corrupted lock file for the instance.
- C. The database has an invalid identifier for the instance.

D. The instance is stuck in an inactive state.

Answer: A

QUESTION: 60

When customizing and managing OpenStack flavors, what are two definable configuration elements? (Choose two.)

- A. vCPUs
- B. networks
- C. ephemeral
- D. nodes

Answer: A, D

QUESTION: 61

Which three statements about network policies in Contrail are true? (Choose three.)

- A. A network policy is needed to create a service chain.
- B. A network policy contains only one rule per policy.
- C. A network policy must be applied before traffic can flow from Network_A to Network_B.
- D. A network policy must be removed from a virtual network before deleting the virtual network.
- E. A network policy only needs to be applied to one virtual network for bidirectional traffic to pass between two networks.

Answer: A, C, E

QUESTION: 62

You have deployed a Contrail cluster that must support bare-metal servers. Which protocol is used to communicate between the bare-metal server's virtual tunnel endpoints and the Contrail cluster to establish sessions with the VM servers?

- A. OVSDB
- B. SRTP
- C. XMPP
- D. BGP

Answer: A

QUESTION: 63

Which two statements about NFV are true? (Choose two.)

- A. NFV enables vertically scalable deployment of virtualized services.
- B. NFV allows a great deal of flexibility in data centers.
- C. NFV provides a framework for management and orchestration.
- D. NFV is ideal for micro-applications.

Answer: B, C

QUESTION: 64


What will the `/opt/contrail/utlils/fab upgrade_kernel_all` command do?

- A. It upgrades or downgrades the fab scripts of all the nodes listed in the testbed.py file.
- B. It upgrades or downgrades the kernels of all the nodes listed in the testbed.py file.
- C. It upgrades or downgrades the kernels of only the OpenStack nodes.
- D. It upgrades or downgrades the kernels of only the Contrail nodes.

Answer: B

QUESTION: 65

Click the Exhibit button.



Referring to the exhibit, which protocol is used to communicate from All Nodes to the Collector?

- A. SRTP
- B. Sandesh
- C. HTIP
- D. XMPP

Answer: B

For More exams visit <http://killexams.com>



KILLEXAMS.COM

Kill your exam at First Attempt....Guaranteed!